

LEGEND VALVE LOW PRESSURE VALVES



T-552 ISO 9002

FEATURES

- 125 WOG
- ASSE 1019 certified
- Anti-siphon
- Integral vacuum breaker
- MIP x hose
- Chrome-plated body
- Cast aluminum handle
- Buna-N seat
- Sizes: 1/2" & 3/4"
- Lengths: 4"-14"



S-501P ISO 9002

FEATURES

- Stop valve
- 125 WOG
- Pex end connections
- Cast Brass
- Heavy cast iron hand-wheel
- Sizes: 1/2" & 3/4"



T-512 ISO 9002

FEATURES

- Stop & waste valve
- Meets ANSI/NSF 61-8
- 125 WOG
- Compression ends
- Cast brass
- Heavy cast iron hand-wheel
- Sizes: 1/2" & 3/4" C.T.S.



T-551

FEATURES

- 125 WOG
- MIP x hose
- Chrome-plated body
- Cast aluminum handle
- Buna-N seat
- Sizes: 1/2" & 3/4"
- Lengths: 4"-14"



S-513

FEATURES

- Stop & waste valve
- 125 WOG
- CPVC transition ends
- Cast Brass
- Sizes: 1/2" & 3/4" C.T.S.



T-511/S-511 ISO 9002

FEATURES

- Stop & waste valve
- Meets ANSI/NSF 61-8
- 125 WOG
- Threaded or solder ends
- Cast brass
- Heavy cast iron handwheel
- Sizes: 1/2" & 3/4"



T-522 ISO 9002

FEATURES

- Boiler drain
- Meets ANSI/NSF 61-8
- 125 WOG
- FIP x hose
- Cast brass
- Heavy cast iron hand-wheel
- Stuffing box
- Sizes: 1/2" & 3/4"



S-521 ISO 9002

FEATURES

- Boiler drain
- Meets ANSI/NSF 61-8
- 125 WOG
- MIP x hose
- Cast brass
- Heavy cast iron hand-wheel
- Stuffing box
- Sizes: 1/2" & 3/4"
- 1/2" has combination 1/2" MIP and 1/2" solder inlet connection.



T-523

FEATURES

- Boiler drain
- 125 WOG
- Compression x hose
- Cast brass
- Heavy cast iron hand-wheel
- Stuffing box
- Size: 1/2"



T-521

FEATURES

- Boiler drain
- 125 WOG
- SWT x hose
- Cast Brass
- Heavy cast iron hand-wheel
- Stuffing box
- Size: 3/4"



S-524

FEATURES

- Boiler drain
- 125 WOG
- Fitting x hose
- Heavy cast iron hand-wheel
- Stuffing box
- Size: 1/2"



S-521P ISO 9002

FEATURES

- Boiler drain
- 125 WOG
- Pex x hose
- Cast brass
- Heavy cast iron hand-wheel
- Stuffing box
- Size: 1/2"



WATER, GAS, AND HEATING VALVES



T-543

FEATURES

- Bent nose garden valve
- 125 WOG
- Brass body
- FIP x GHT
- Sizes: 1/2"-1"



T-540

ISO 9002

FEATURES

- Hose bibb - Lever handle
- Quality water heater drain valve
- 200 WOG
- Ball valve
- MIP x GHT
- Forged brass body
- Size: 3/4"



T-531HP

FEATURES

- Heavy pattern hose bibb
- 125 WOG
- Baked enamel finish on handle
- MIP x GHT
- Cast brass
- Sizes: 1/2"-1"
- 1/2" has combination 1/2" MIP and 1/2" solder inlet connection.



T-537

ISO 9002

FEATURES

- Hose bibb - T-handle
- 200 WOG
- Ball valve
- MIP x GHT
- Forged brass body
- Exceptional flow characteristics
- Sizes: 1/2" & 3/4"
- 1/2" has combination 1/2" MIP and 1/2" solder inlet connection.



T-3100

ISO 9002

FEATURES

- Patented one-piece body
- 175 WOG
- CSA Certified
- Lever handle
- 1/8" NPT side tap
- Threaded ends
- Forged brass body
- Soft seats
- Sizes: 1/2"-1"



T-3000

ISO 9002

FEATURES

- Patented one-piece body
- 175 WOG
- CSA Certified
- Lever handle
- Flare x MIP
- Forged brass body
- Soft seats
- Sizes: 1/2" x 3/8", 1/2" x 1/2"



T-3000

ISO 9002

FEATURES

- Patented one-piece body
- 175 WOG
- CSA Certified
- Lever handle
- Flare x Flare
- Forged brass body
- Soft seats
- Sizes: 3/8", 1/2" & 5/8"



T-429

FEATURES

- 150 WSP, 400 WOG
- Balancing valve
- FIP x male union
- Screwdriver slot
- Ball valve type
- Bronze body
- Sizes: 1/2" x 3/4"



S-429

FEATURES

- 150 WSP, 400 WOG
- Balancing valve
- Solder x male union
- Screwdriver slot
- Ball valve type
- Bronze body
- Sizes: 1/2" & 3/4"



T-570

FEATURES

- Mono-flow tees
- C x C
- Bronze
- Sizes: 1/2"-1-1/4"



T-569

FEATURES

- Venturi tees
- C x C
- Bronze
- Sizes: 1/2"-1-1/4"



T-431

FEATURES

- 15 WSP, 60 WOG
- Steam angle valve
- FIP x male union
- Bronze body
- EPDM disc
- Phenolic handwheel
- Sizes: 1/2"-2"



GAS BALL VALVES AND SPECIALTY PRODUCTS



T-435

FEATURES

- 125 WSP, 200 WOG
- Radiator gate valve
- FIP x male union
- Screw-over bonnet
- Bronze body
- Bronze disc
- Phenolic handwheel
- Sizes: 1/2"-1-1/2"



S-464

FEATURES

- Purge and balancing valve
- 80 WOG
- Bronze body
- Solder ends
- Sizes: 3/4"-1-1/4"



T-431YB

FEATURES

- 15 WSP, 60 WOG
- Steam angle valve
- FIP x male union
- Brass body
- EPDM disc
- Phenolic handwheel
- Sizes: 3/4"-1-1/4"



T-433

FEATURES

- 15 WSP, 60 WOG
- Convector steam valve
- Female union x FIP
- Bronze body
- EPDM disc
- Phenolic handwheel
- Sizes: 1" & 1-1/4"



S-439

ISO 9002

FEATURES

- 150 WSP, 400 WOG
- Balancing valve
- Solder ends
- Screwdriver slot
- Ball valve type
- 100% shut-off
- Forged brass body
- Sizes: 1/2"-1"



T-437

FEATURES

- 60 WOG
- Hot water angle valve
- FIP x male union
- Bronze body
- Bronze & EPDM discs
- Phenolic handwheel
- Sizes: 1/2"-1-1/2"



T-438

FEATURES

- Union elbow
- FIP x male union
- Bronze
- Sizes: 1/2" & 3/4"



T-425

FEATURES

- Straight circulator valve
- Solder x male union
- Bronze body
- 1/4 turn ball type
- 100% shut off
- Phenolic handwheel
- Sizes: 1/2" & 3/4"



S-437

FEATURES

- 60 WOG
- Hot water angle valve
- Solder x male union
- Bronze body
- Bronze disc
- Phenolic handwheel
- Sizes: 1/2" & 3/4"



S-438

FEATURES


- Union elbow
- Solder x male union
- Bronze
- Sizes: 1/2" & 3/4"



S-425

FEATURES

- Straight circulator valve
- Solder x male union
- Bronze body
- 1/4 turn ball type
- 100% shut off
- Phenolic handwheel
- Sizes: 1/2" & 3/4"



T-3200

ISO 9002

FEATURES

- Log lighter valve
- CSA certified
- Forged brass body
- C.P. Brass escutcheon & key
- Straight pattern
- High BTU capacity
- Soft seats
- Size: 1/2"
- Available with polished brass escutcheon (Model T-3200PB)


LEGEND VALVE SPECIALTY PRODUCTS



T-3201 ISO 9002

FEATURES

- Log lighter valve
- CSA certified
- Forged brass body
- C.P. Brass escutcheon & key
- Angle pattern
- High BTU capacity
- Soft seats
- Size: 1/2"
- Available with polished brass escutcheon (Model T-3201PB)



T-3500 ISO 9002

FEATURES

- Log lighter valve
- 1/4 Turn
- Ball-type
- CSA certified
- Forged brass body
- C.P. Brass escutcheon & key
- Straight pattern
- High BTU capacity
- Size: 1/2"
- Available with polished brass escutcheon (Model T-3500PB)



T-3501 ISO 9002

FEATURES

- Log lighter valve
- 1/4 Turn
- Ball-type
- CSA certified
- Forged brass body
- C.P. Brass escutcheon & key
- Angle pattern
- High BTU capacity
- Size: 1/2"
- Available with polished brass escutcheon (Model T-3501PB)



T-442

FEATURES

- Angle meter valve
- 125 WOG
- Flare x FIP
- Bronze body
- Drainable
- EPDM seat
- Large water way
- Sizes: 1/2"-1" (FIP)



T-50

FEATURES

- Pressure relief valve
- Adjustable from 75 to 150 psi
- Brass body
- MIP x FIP ends
- Sizes: 1/2" & 3/4"



T-12

FEATURES

- Washing machine valve
- 125 WOG
- Satin C.P. brass body
- Size: 5/8" OD x GHT



T-441

FEATURES

- Angle meter valve
- 125 WOG
- Flare x FIP
- Bronze body
- EPDM seat
- Large water way
- Long flare nut
- Sizes: 1/2"-1" (FIP)



T-11

FEATURES


- Washing machine valve
- 150 WOG
- Bronze body
- Single lever ball type design
- Controls hot & cold water simultaneously
- Teflon* seats
- Repair kits available
- Inlet is combination 1/2" MIP & 1/2" solder



S-11

FEATURES

- Washing machine valve
- 150 WOG
- Bronze body
- Single lever ball type design
- Controls hot & cold water simultaneously
- Teflon* seats
- Solder ends
- Repair kits available
- Size: 1/2"



T-27

FEATURES


- Drum and barrel faucet
- 175 WOG
- Lockable handle
- Bronze body
- MIP x Plain
- Size: 3/4"



T-28

FEATURES

- Drum and barrel faucet
- 175 WOG
- Lockable handle
- Bronze body
- MIP x GHT
- Size: 3/4"



T-590

FEATURES

- Self-piercing saddle valve
- 110 WOG
- Brass body
- Stainless steel needle
- For use on 3/8" through 1-1/4" copper tubing
- Size: 1/4" outlet

*Teflon is a registered trademark of Dupont.